

HARRISBURG (l&m&pfbwf) ausmif; 'dpMwdwf usef;rma&; tcef; ta&;ay: u'f

ausmif;pmoifESpf _____ twef; _____ usef;rma&; tcef; _____ q&m^r _____

tdrf vdyfpm _____ tdrf zkef; _____

rdcif trnf _____ tvkyf zkef; _____ qJ(vf) _____

zcif trnf _____ tvkyf zkef; _____ qJ(vf) _____

odkYr[kwf tkyfxdef;ol trnf _____ tvkyf zkef; _____ qJ(vf) _____

ta&;ay: tquftoG, frsm; (rdbrsm; odkYr[kwf tkyfxdef;ol rS vJGi)

trnf ESifh aqGrsdK;awmfpyfyHk (ausmif;om; ESifh) _____ tdrf zkef; _____ tjcm; zkef;rsm;

1. _____

2. _____

*aus;Zl;jyKí *&kjyKyG- uREkfyfwdkYtm; tjcm;nTefMum;jcif;rsm; r&Sdygu tquftoG,ftjzpf pm&if;jyKpkxm;aom rnfonfh vludkrqdk ac:qdkrl jyKEkdifonf/

ausmif;om; \ q&mOef ESifh zkef; eHygwf- a'gufwm _____ (717) _____ - _____	ausmif;om; \ oGm;q&mOef ESifh zkef; eHygwf- a'gufwm _____ (717) _____ - _____
tmrcHukrÜPD - <input type="checkbox"/> Medical Assistance (aq;ukorl tulnD) <input type="checkbox"/> CHIP (cspf(yf)) <input type="checkbox"/> mfonfht&mrQ r[kwfyg <input type="checkbox"/> tjcm; _____	oif\ uav;onf q&mOefESifh oGm;q&m Oefudk mfonfh tcsdefu aemufqHk; awGU cJhoenf;/ awGUcJhaom &ufpJG(rsm;)- q&mOef _____ oGm;q&mOef

ta&;MuD;aom rSwfcsuf- pu'fudk vufRswfa&;xkdk;jcif;jzifh atmufygdwKytwGuf oifonf cGihfjyKcsuf ay;jcif; jzpfonf-

- Harrisburg (l&m&pfbwf) ausmif; 'dpMwdwfonf oihfuav; \ q&mOef ESifh oGm;q&mOefwdkYudk aq;Og;ukorlESifh oGm;bufqkdf&m owif;tcsuftvufRsm; udk tvJtvS,f jyKvfyfcif;ESifh 'dpMwdwftwGif;&Sd tjcm;aom uRrf;usif twwfynm&SifRsm;ESifh usef;rma&;qkdf&m owif;tcsuftvufRsm;udk aOrQjcf; wkdYtm; oifh uav; \ usef;rma&; vkyfief;pOfudk taxmuftuljyKa&;twGuf jyKvfyfaumif;jyKvfyEkdifonf/
- pdK;&drf&aom ta&;ay:tajctaewpf&yfwGif oif\ uav;onf aq;&kH tjyiftqifwpfckwGif wefzdk;jzwfcsifhwGufjcf;udk vkdytaomtcg? 911 udk ac:qkdjcf; jyK EkdifjyD; oif\ uav;udk aq;&kHodkY vlemwif,mOfzihf c:aqmifoGm;jcif; jyKaumif;jyKEkdifonf/ pOefaqmifrlonf ausmif; 'dpMwdwfaMumihf tcaMu;aiG ay;&ef r vkdyg/

usef;rma&; &mZ0if aemufqHk; tajctae

- jyif;xefaom zsm;emjcf;? cJGpdwfukorl? xdcduk' Pf&m&r! t&dk;usdK;jcif;rsm; odkYr[kwf &ifusyf yef;em? aoG;tm;enf;olrsm;wGif awGU&wwfonh aoG;eD uvmyfnpf; wprsdK;? qD;csdKa&m *g ponfjzihf topf&SmazGazmfkxfawGU&Sdonfh tajctae paom rnfonfht&mudkrqdk pm&if;jyKpkyg/
- ausmif;rS * &kpdkuf&ef vkdyfonfh rnfonfh **tl**; usef;rma&;jyóem odkYr[kwf &kyfydkif;qdkif&m uefYowfcsuf wkdYudk pm&if;jyKpkyg-
- rnfonfh jyif;xefaom "mfwrfwnfhjcf; udkrkd pm&if;jyKpkyg (ysm; wkyfjcf;? aq;Og;? tpm;tpm? tjcm;)-
- oifhuav; aomufoHk;aeaom aq;Og;(rsm;) ESifh aq;nTef;(rsm;) tm;vHk;udk pm&if;jyKpkyg-
- ausmif;wGif oihfuav; \ atmifjrifrludk oufa&mufapEkdifrnfh tjcm;aom rnfonfh taMumif;t&mRsm; odkYr[kwf tajctaersm; udkrkd pm&if;jyKpkyg-

nDtpfudk?amifESr om;csif; owif;tcsuftvuf (tr?nDrsm;^ tudk?nDrsm;)		
trnf (aemufqHk;? yxr)	touf^twef;	ausmif;

aus;Zl;jyKí atmufazmfjygygudk zwf&ljd; vufRswfxkd;yg-

1). tPkJrL ta&;ay: tajctaewpf&yfwGif q&mOef \ nTefMum;csuft& uREkfyf\ uav;onf oihfavsmfaom Potassium Iodide (ydkwufpD,rf tkdiftkd' dku) aq;nTef;udk &&SdEkdifmf/

wpfckudk Odkif;yg- &&SdEkdifmf odkYr[kwf r&&SdEkdifyg

vufiSwf	trnf\tp tu©&m
vufiSwf	trnf\tp tu©&m

vufiSwf

trnf\tp tu©&m